ELSEVIER

Neuroscience Letters 322 (2002) 198–200

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 322

Volume 322, no. 1

Guidelines for the submission of manuscripts v

5-HT_{1A} receptor antagonist p-MPPI attenuates acute ethanol effects in mice and rats
N.K. Popova, E.A. Ivanova (Russia) 1

Cortical brain responses to semantic incongruity and syntactic violation in Italian language: an event-related potential study
A. Angrilli, B. Penolazzi, F. Vespignani, M. De Vincenzi, R. Job, L. Ciccarelli, D. Palomba, L. Stegagno (Italy) 5

Sequence conservation between mouse and human synphilin-1
C. O'Farrell, F. Pickford, L. Vink, E. McGowan, M.R. Cookson (USA) 9

Caffeine's neuroprotection against 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine toxicity shows no tolerance to chronic caffeine administration in mice
K. Xu, Y.-H. Xu, J.-F. Chen, M.A. Schwarzschild (USA) 13

Prolonged depolarization of rat cerebral synaptosomes leads to an increase in vesicular glutamate content
D.G. Bole, K. Hirata, T. Ueda (USA) 17

Local neurokinin-1 receptor in the knee joint contributes to the induction, but not maintenance, of arthritic pain in the rat
S.K. Hong, J.S. Han, S.S. Min, J.M. Hwang, Y.I. Kim, H.S. Na, Y.W. Yoon, H.C. Han (South Korea) 21

mRNA expression alterations of inward rectifier potassium channels in rat brain with cholinergic impairment
X.-H. Xu, Y.-P. Pan, X.-L. Wang (China) 25

Nicotine administration decreases nitric oxide synthase expression in the hypothalamus of food-deprived rats
M.-H. Jang, M.-C. Shin, B.-V. Lim, J.-H. Chung, H.-S. Kang, S.-A. Kang, R.-W. Choue, E.-H. Kim, C.-J. Kim (South Korea) 29

6-Hydroxydopamine lesioning differentially affects α-synuclein mRNA expression in the nucleus accumbens, striatum and substantia nigra of adult rats
B.-Y. Zeng, B. Dass, A. Owen, S. Rose, C. Cannizzaro, B.C. Tel, P. Jenner (UK) 33

Activation of spinal extracellular signaling-regulated kinase-1 and -2 by intraplantar carrageenan in rodents
A. Galan, J.A. Lopez-Garcia, F. Cervero, J.M.A. Laird (Spain) 37

Nitric-oxide-synthase-mediated cyclic guanosine monophosphate production in neonatal rat cerebellar prisms is resistant to calcineurin inhibition
M.R. Macleod, S.P. Butcher (UK) 41

Determination of acetylcholine and dopamine content in thalamus and striatum after excitotoxic lesions of the pedunculopontine tegmental nucleus in rats
T.A. Jenkins, M.P. Latimer, H.L. Alderson, P. Winn (UK) 45

The effect of different morphological sampling criteria on the fraction of bursting cells recorded in the rat subiculum in vitro
L. Menendez de la Prida, F. Suarez, M.A. Pozo (Spain) 49

Partial denervation of the locus coeruleus projections by treatment with the selective neurotoxin DSP-4 potentiates the long-term effect of parachloroamphetamine on 5-hydroxytryptamine metabolism in the rat
M. Eller, J. Harro (Estonia) 53

A mutation in the human neurofilament M gene in Parkinson's disease that suggests a role for the cytoskeleton in neuronal degeneration
C. Lavedan, S. Buchholtz, R.L. Nussbaum, R.L. Albin, M.H. Polymeropoulos (USA) 57

Transient appearance of amyloid precursor protein plaques in the brain of thymectomized rats after human leptomeningeal cell grafts
L.A. DeGiorgio, L. Manuelidis, J.J. Bernstein (USA) 62

Galanin-like peptide stimulates food intake in the rat
Y. Matsumoto, T. Watanabe, Y. Adachi, T. Itoh, T. Ohtaki, H. Onda, T. Kurokawa, O. Nishimura, M. Fujino (Japan) 67

Volume 322, no. 2

Enhancement of spike and wave discharges by microinjection of bicuculline into the reticular nucleus of rats with absence epilepsy
R.G. Aker, Ç. Özkara, A. Dervent, F. Yılmaz Onat (Turkey) 71

Beta-amyloid deposition in the brains of rats chronically infused with thiorphan or lipopolysaccharide: the role of ascorbic acid in the vehicle
B. Hauss-Wegrzyniak, G.L. Wenk (USA) 75
Effects of ambient odors on reaction time in humans
J.-L. Millot, G. Brand, N. Morand (France) 79
The Tau H1 Haplotype is associated with Parkinson's disease in the Norwegian population
M. Farrer, L. Skipper, M. Berg, G. Bisceglio, M. Hanson, J. Hardy, A. Adam, K. Gwinn-Hardy, J. Aasly (USA, Norway) 83
Neurons in the cortical taste area receive nociceptive inputs from the whole body as well as the oral cavity in the rat
H. Ogawa, X.-D. Wang (Japan) 87
Cardiac arrest cerebral ischemia model in mice failed to cause delayed neuronal death in the hippocampus
N. Kawahara, K. Kawai, T. Toyoda, H. Nakatomi, K. Furuya, T. Kirino (Japan) 91
Blockade of the antinociceptive effect of spinally administered kyotorphin by naltrindole in mice
T. Ochi, Y. Ohkubo, S. Mutoh (Japan) 95
Norepinephrine depresses the capsaicin-evoked miniature excitatory postsynaptic currents in substantia gelatinosa of the rat spinal cord
Y.-P. Feng, K. Yang, Y.-Q. Li (People's Republic of China) 99
Cisplatin-induced peripheral neurotoxicity in rats reduces the circulating levels of nerve growth factor
G. Cavaletti, G. Pezzoni, C. Pisano, N. Oggioni, F. Sala, C. Zoia, C. Ferrarese, P. Marmiroli, G. Tredici (Italy) 103
Oligodeoxynucleotides induce brain inflammation in rats when infused intracerebroventricularly
P. Elepfandt, S. Rupprecht, B. Schöning-Burkhardt, H.-D. Volk, C. Woiciechowsky (Germany) 107
Dendritic spine formation in response to progesterone synthesized de novo in the developing Purkinje cell in rats
H. Sakamoto, K. Ukena, K. Tsutsui (Japan) 111
Cat odour exposure increases the expression of wolframin gene in the amygdaloid area of rat
S. Kõks, A. Planken, H. Luuk, E. Vasar (Estonia) 116
Inducible nitric oxide synthase and argininosuccinate synthetase: co-induction in brain tissue of patients with Alzheimer's dementia and following stimulation with β-amyloid 1–42 in vitro
J. Haas, B. Storch-Hagenlocher, A. Biessmann, B. Wildemann (Germany) 121
Postsynaptic and presynaptic $GABA_B$ receptor-mediated inhibition in rat superficial superior colliculus neurons
T. Endo, T. Isa (Japan) 126
The amyloid-β peptide binds to cyclin B1 and increases human cyclin-dependent kinase-1 activity
N.G.N. Milton (UK) 131
Distinct sleep-wake stages in rats depend differentially on age
R. Kirov, S. Moyanova (Bulgaria) 134

Volume 322, no. 3

Nicotinamide and ketamine reduce infarct volume and DNA fragmentation in rats after brain ischemia and reperfusion
M.L. Chang, J. Yang, S. Kem, L. Klaidman, T. Sugawara, P.H. Chan, J.D. Adams Jr. (USA) 137
Auditory cortical activation in Finnish and Swedish speaking Finns: a magnetoencephalographic study
M. Vihla, K. Kiviniemi, R. Salmelin (Finland) 141
Menthol: a natural analgesic compound
N. Galeotti, L. Di Cesare Mannelli, G. Mazzanti, A. Bartolini, C. Ghelardini (Italy) 145
Seizure-mediated accumulation of the β subunit of Ca^{2+}/calmodulin-dependent protein kinase II in nuclei of mouse brain cells
T. Matsu-ura, T. Nakadai, Y. Oda, T. Nagasu, K. Mikoshiba, T.-a. Tamura (Japan) 149
A mouse model for peripheral neuropathy produced by a partial injury of the nerve supplying the tail
S.K. Back, B. Sung, S.K. Hong, H.S. Na (South Korea) 153
Repetitive concentric wave-ring spread of oligemia/hyperemia in the sensorimotor cortex accompanying K^+-induced spreading depression in rats and cats
Y. Tomita, M. Tomita, I. Schiszler, T. Amano, N. Tanahashi, M. Kobari, H. Takeda, M. Ohtomo, Y. Fukuuchi (Japan) 157
Intrathecal α_2 adrenoceptor agonist clonidine inhibits mechanical transmission in mouse spinal cord via activation of muscarinic M_1 receptors
K. Honda, K. Koga, T. Moriyama, M. Koguchi, Y. Takano, H.-o. Kamiya (Japan) 161
Amphetamine inhibits behavior-related neuronal responses in substantia nigra pars reticulata of rats working for sucrose reinforcement
J.M. Gulley, A.E.K. Kosobud, G.V. Rebec (USA) 165
Dissociation of the associative and visceral sensory components of taste aversion learning by tetrodotoxin inactivation of the parabrachial nucleus in rats
M.A. Ballesteros, F. González, I. Morón, I. DeBrugada, A. Cándido, M. Gallo (Spain) 169
Corticopontocerebellar pathway from the prearcuate region to hemispheric lobule VII of the cerebellum: an anterograde and retrograde tracing study in the monkey
G. Xiong, T. Hiramatsu, S. Nagao (Japan) 173
Bullfrog retinal bipolar cells may express heterogeneous glycine receptors at dendrites and axon terminals
J.-L. Du, X.-L. Yang (China) 177

Mental navigation in humans is processed in the anterior bank of the parieto-occipital sulcus
T. Ino, Y. Inoue, M. Kage, S. Hirose, T. Kimura, H. Fukuyama (Japan) 182
Hypoxia/reoxygenation induces cell injury via different mechanisms in cultured rat cortical neurons and glial cells
J.-Y. Wang, A.Y.-C. Shum, J.-Y. Wang (Taiwan) 187
No association between the lipoprotein lipase S447X polymorphism and Alzheimer's disease
L. Fidani, D. Compton, J. Hardy, R.C. Petersen, E. Tangalos, V. Mirtsou, A. Goulas, F.W. De Vrieze (Greece, USA, UK) 192

Author Index to Volume 322 195
Contents to Volume 322 198